



If you are reading this you are registered for a hybrid WFR or WEMT course. The purpose of this study guide is to:

- Give you an overview of our testing philosophy.
  - Let you know how the tests are scored.
  - Share effective study and testing strategies.
- 

## Contents

WMTC Testing Philosophy

[How Final Tests are Scored](#)

[Effective Strategies for Answering Multiple-answer Test Questions](#)

[Effective Trauma Test Question Strategies](#)

[Effective Environmental Test Question Strategies](#)

[Effective Medical Test Question Strategies](#)

[The Tests: Preparation, Practice Test, & Final Tests](#)

[What about the Patient Assessment System?](#)

---

## WMTC Testing Philosophy

Our online tests have both learning and assessment goals: They set a minimum baseline foundation for anatomy, physiology, pathophysiology, prevention (where possible), assessment, and treatment in order to prepare you for the skill labs and simulations in the practical session and for real-life situations.

There are two types of tests: practice tests and final tests. The practice test questions are different than the final test questions. The practice tests contain straight forward anatomy, physiology, and pathophysiology questions, and some simple case studies; *they provide background information for the final test questions. The final test questions are complex case studies, many of these questions require you to use your new knowledge in less than ideal situations (just like real life); they also contain pathophysiological questions directly related to the patient's problem. The answers to the judgment-based questions are subjective and reflect what most experienced guides/outdoor leaders with a solid grasp of wilderness medicine would do when faced with a similar situation. In some cases, the correct answers to these questions conflict with the ideal treatments presented in our textbook, handbook, and website and you will need to make a difficult decision. You will be faced with similar types of decisions situations in real life.*

The first step in answering any final test question correctly is to identify the mechanism of injury (MOI); there may be more than one. Traumatic and Medical mechanisms of injury are often affected by the environment; it's rare to have all three MOI present.

## How Final Tests are Scored

In the multiple-answer questions, points are awarded for correct answers and subtracted for incorrect answers. The sum is the number of points awarded for that question; note that you cannot receive less than 0 points. *Because the point value for each answer varies, you will not be able to guess the answer based on test taking strategies.* See below:

If you get all the answers correct, you will see:

Correct: The answer is correct. "\_\_\_" points.

If you get some of the answers correct and you were awarded points, you will see:

Partial Credit: The answers are partially correct. "\_\_\_" out of "\_\_\_" points.

If you get some of the answers correct but the sum is  $\geq 0$ , you will see:

No Credit: Some of the answers are incorrect for no credit. 0 points.

Multiple choice questions use round "radio" buttons and have only one answer; . If you are ever in doubt whether the question is a multiple choice question or a multiple answer question, simply try and choose two answers. If the system lets you choose two answers, it's a multiple answer question. Choose the best one.

[Back to Contents](#)

## Effective Strategies for Answering Multiple-answer Test Questions

Many of the answers to multiple-answer test questions are mutually exclusive and may be grouped into sets. The sets can be individual problems, treatments, or evacuation plans.

With respect to problem sets, if the possible answers to a multiple answer question include:

- Mild concussion
- Severe concussion
- Increased ICP

You know that only one of the three possible answers can be correct. The same is true for "Compensated (early) Volume Shock" and "Uncompensated (late) Volume Shock;" only one is correct. Or, "Unstable Right Ankle and "Stable Right Ankle;" again, only one is correct.

With respect to treatments and evacuation plans, if the possible answers to a multiple answer question include:

- Maintain spine stability and go for help.
- Begin a self-evacuation; assist the patient as necessary.

Like the first example, these two answers are mutually exclusive, only one is correct.

*Therefore, an effective strategy is to identify all the possible answers that are mutually exclusive—it doesn't matter whether they are problems, treatments, or evacuation plans—and choose only one answer from that group.*

[Back to Contents](#)

## Effective Trauma Test Question Strategies

To answer a final Trauma test question correctly, you need to review the specific traumatic mechanism of injury (what part of the patient's body was hit?) and the clinical pattern (MOI + Signs + Symptoms) for each of the potential problems.

There are a finite number of traumatic problems, each with their own specific clinical pattern. Students typically choose incorrect answers to Trauma final exam questions for two reasons: not correctly identifying the possible problems (based on what part of the body received the traumatic impact) and/or not correctly identifying the clinical pattern associated with that problem. I've listed the possible traumatic problems below; it's similar but a slightly different take on the Trauma Index on page 2 of *the Wilderness Medicine Handbook* and page 70 in *the Art & Technique of Wilderness Medicine*.

- *Possible problems from hitting your head are:*
  - Mild concussion
  - Severe concussion
  - Increased ICP
  - Cervical spine injury
- *Possible problems from hitting your chest are:*
  - Respiratory distress
  - Internal bleeding/volume shock
  - Thoracic spine injury
- *Possible problems from hitting your abdomen are:*
  - Internal/bleeding/volume shock
- *Possible problems from hitting your pelvis are:*
  - Unstable pelvis
  - Internal bleeding/volume shock
  - Unstable lumbar/sacral spine injury
- *Possible problems from hitting an extremity are:*
  - Stable injury
  - Unstable injury
  - Dislocation
- *Possible problem from hitting your back is:*
  - An unstable spine injury
- *Any wound can cause severe bleeding; in most cases severe bleeding is controlled during Basic Life Support and does not lead to volume shock.*

A third reason students make mistakes in the Trauma final test is that they fail to distinguish between possible problems, current problems, and anticipated problems. A brief definition of each follows:

- **Possible Problems** are derived from the mechanism of injury (MOI). In the case of traumatic MOI, they are based on what part of the body the patient was hit (see above).
- **Current Problems** are possible problems that cannot be ruled out based on the patient's signs & symptoms.
- **Anticipated Problems** are derived from your current problem list. They are not happening now—the patient has the MOI but not all the S/Sx—but they may develop in the future. As a rescuer you have little control over whether an anticipated problem will develop or not.

The chart below details all the traumatic Current Problems together with their associated Anticipated Problem. Note:

- The progression and the difference and similarities in S/Sx between each problem.
- A significant difference between the early and late S/Sx of the all the critical system problems is the patient's AVPU level: Patients are Awake early and VPU late.
- Remember, a patient cannot have a mild concussion, severe concussion, and increased ICP at any given time; they may only have one. Similarly, a patient cannot have early and late increased ICP at the same time; nor early and late volume shock at the same time; the S/Sx of each problem are different.

Specific Traumatic MOI	Current Problem	Anticipated Problem
<b>Head Trauma</b>	Mild concussion	None, if treated appropriately
	Severe concussion	Early increased ICP
	Early increased ICP	Late increased ICP
	Late Increased ICP	Death 2° increased ICP
<b>Chest Trauma</b>	Fractured rib(s)	Respiratory distress 2° lung damage
	Tender and/or bruised ribs (with initial breath knocked out of patient)	Respiratory distress 2° lung damage Compensated (early) volume shock
	Respiratory distress (tenderness on one side)	Worsening/increasing respiratory distress 2° lung damage
	Respiratory distress (tenderness on both sides)	Death 2° respiratory arrest 2° lung damage
	Compensated (early) volume shock	Uncompensated (late) volume shock
<b>Spine Trauma</b>	Unstable spine	None, if treated appropriately
<b>Pelvic Trauma</b>	Stable pelvic injury	None, if treated appropriately
	Unstable pelvic injury	Compensated (early) volume shock Uncompensated (late) volume shock
<b>Extremity Trauma</b>	Stable extremity injury	None, if treated appropriately
	Unstable extremity injury	None, if treated appropriately

[Back to Contents](#)

# Effective Environmental Test Question Strategies

Similar to the final Trauma test questions, students choose incorrect answers on final Environmental test questions when they fail to distinguish between possible problems, current problems, and anticipated problems: see the chart below; note the differences between traumatic and environmental problems and their progressions.

Specific Environmental MOI	Current Problem	Anticipated Problem
<b>Low Water Intake</b>	Dehydration	Heat Exhaustion/Stroke in a heat challenge if not treated.
<b>Sun Exposure</b>	Sunburn	Dehydration.
	Phototoxic Reaction	None, if treated appropriately.
	Photoallergic Reaction	None, if treated appropriately.
	Photokeratitis (snow blindness)	None, if treated appropriately.
<b>Heat Challenge</b>	Heat Stroke	None, if assessed early and treated appropriately. Death if untreated or treated late.
	Heat Exhaustion	None, if treated appropriately. Heat stroke if not treated.
	Heat Rash	None, if treated appropriately.
	Heat Cramps	None, if treated appropriately.
	Heat Syncope	None, if treated appropriately.
	Hyponatremia (low sodium)	None, if assessed early and treated appropriately. Death if treated late.
<b>Hot Air, Water, Metal, &amp; Fire</b>	Respiratory Burns (with no respiratory distress)	Respiratory distress 2° delayed pulmonary edema.
	Respiratory Burns (with respiratory distress)	Respiratory arrest & death 2° pulmonary edema.
	Thermal Burns	Pain if minor, assessed early and treated appropriately. Pain, volume shock, infection, and death if serious.
<b>Lightning</b>	Awake with no S/Sx	None.
	Awake with S/Sx	Varies, death is unlikely.
	VPU	Varies, death.
<b>Cold</b>	Cold Response	None, if treated appropriately.
	Mild Hypothermia	None, if treated appropriately. Moderate hypothermia if untreated.
	Moderate Hypothermia	Varies depending on treatment & evacuation. Severe hypothermia if untreated.
	Severe Hypothermia	Varies depending on treatment & evacuation. Death is possible.
	Reynaulds	None, if treated appropriately.
	Chilblains	None, if treated appropriately.
	Cold Water Immersion Injury (trenchfoot)	None if minor, assessed early, and treated appropriately. Pain, infection, loss and of tissue/limb if serious.
	Frotnip	None, if treated appropriately.
<b>Submersion in Water</b>	Near Drowning (with no respiratory distress)	Respiratory distress 2° delayed pulmonary edema.
	Near Drowning (with respiratory distress)	Respiratory arrest & death 2° pulmonary edema.
<b>Altitude</b>	Mild Acute Mountain Sickness	None, if treated appropriately.
	Moderate Acute Mountain Sickness	None, if treated appropriately. Severe AMS if unable to treat.
	Severe Acute Mountain Sickness (HAPE/HACE)	Death 2° high altitude pulmonary edema and/or high altitude cerebral edema
<b>SCUBA</b>	POPS (pulmonary overpressure syndrome)	None if minor, assessed early, and treated rapidly. Death if serious and decompression is delayed.
	Nitrogen Narcosis	None if diver surfaces.
	Bends (decompression sickness)	None if minor, assessed early, and treated rapidly. Death if serious and decompression is delayed.
	Squeeze (barotrauma)	None, if treated appropriately
<b>Free Diving</b>	Squeeze (barotrauma)	None, if treated appropriately
	Shallow Water Blackout	Death if not promptly rescued.
<b>Sea &amp; Motion Sickness</b>	Sea & Motion Sickness	None, if treated. Dehydration if untreated.
<b>Absorbed Toxins Ingested Toxins Inhaled Toxins Bites &amp; Stings</b>	Systemic Toxic Reaction	Varies. Depends on the specific toxin.
	Local Toxic Reaction	Varies. Depends on the specific toxin.
	Systemic Allergic Reaction	None, if assessed early and treated appropriately. Death if serious and treatment is delayed or unavailable.
	Local Allergic Reaction	None, if treated appropriately

Students also make mistakes on final Environmental test questions when they don't understand the specific environmental hazards described in the case studies. When reading a question look carefully for scene safety issues: Is it snowing and is that avalanche chute going to slide? Are the students in the case study acclimatized to the new heat challenge? Is a storm eminent? Some questions relate to prevention, others to early assessment and treatment. If you get some of these questions wrong, learn from them; hopefully, you won't make similar mistakes in real life.

In some of the final Environmental test questions you will be asked to make judgment decisions in less than ideal situations with conflicting treatments. Many of the conflicts will be because you a potentially spine injured patient—whom you should only move in a litter—and an environmental emergency that requires moving the patient without waiting for a help or a litter. *When faced with two seemingly opposing treatments, the priority goes to the treatment that is associated with less risk.* For example, a ambulatory patient with a suspected unstable spine injury faces a possible spinal cord injury if they attempt to self-evac off an exposed ridge. Conversely they face severe hypothermia and death if they were to remain immobile and spine stable on the ridge waiting for outside rescue. In this instance, they should choose self-evacuation and take care to protect the patient from falling again.

While it may appear that you need to have mastery of a specific outdoor activity—climbing, whitewater, skiing, canyoneering, etc.—in order correctly answer a question, in general, this is not true. Find and evaluate the traumatic (minor or major) or environmental mechanism not the activity.

[Back to Contents](#)

## Effective Medical Test Question Strategies

There are a *maximum* of four question types for each medical case study:

- Evacuation questions are based on the presence of medical “Red Flags” for a Level 1 or Level 2 Evacuation. In some cases, a problem will present with no Red Flags but develop them over time. *Many of these questions can be answered by referring to the General Evacuation Guidelines on page 82 of the Wilderness Medicine Handbook.*
- In most cases, you will be asked to identify the specific problem based on the patient’s S/Sx. *Use the Medical Index on pages 77-78 in your handbook to identify possible problems based on the patient’s primary S/Sx and then see if the S/Sx of any of the possible problems match. You can also use the charts on pages 83-84 of the handbook to narrow down problems associated with abdominal pain and tenderness.*
- In some cases you will also be asked how to treat a patient, and specifically asked: “What should you do?” If you’ve identified the problem correctly, this should be relatively easy....
- You may also be asked if you should do CPR on a patient. Remember to distinguish between the urban context where Advanced Life Support is easily and quickly accessible where you might start CPR and the wilderness context where it is not and while you might start CPR you would not continue it beyond 30 minutes.

In general, students report that the Medical final test questions are easier than the Trauma or Environmental questions.

[Back to Contents](#)

## The Tests

### Preparation

If you read the textbook and/or watch study all the presentations on the course website, closely watch the Patient Assessment videos and download and review each of their SOAP notes, and complete the assigned case studies using a SOAP note, and closely review the discussion page, you are ready to take the practice test associated with that MOI.

### Practice Tests

The practice tests are open book; you may start and stop at any time. *You may only take a practice test once.* You will receive the correct answer and an explanation as soon as you submit your answer. While the practice tests are scored, a low score will not prevent you from moving on to take the final test. That said, the score is a reasonable indication of how well you understand the material.

While taking a practice test: Look up information you don't know. If you get an answer wrong, review the explanation and make sure you understand the correct answer and take notes before moving on to the next question. It's common for students to miss questions on the final test that track back to errors on the practice test.

### Final Tests

The final tests are also open book; you may start and stop at any time; however, once you start a final test you must complete it within 10 days or it will be counted as a "fail." Once you understand the mistakes you made on the practice test and have reviewed the above strategies for the specific MOI, you are ready to take the final test for that MOI. *Many questions have "Hints;" if a hint is provided, read it thoroughly to see how it applies to the question and answers before attempting to answer the question.*

If you score less than 80% on a final test, review the common errors (above), study the problems discussed in each question, and closely review each answer before taking the test again. Most students will pass the final test on their second or third attempt. If you score less than 80% on a final test three times, it's usually because you have come up against a conceptual wall and need some assistance breaking through it.

*If you are part of an on-going semester course at your college or university,* schedule some time with your professor and review the answers to your last test together; once you understand your mistakes, request to take the test one last time.

*If you are part of a public course with a five- or six-day practical session, [email the WMTC office](#) and request feedback and one last attempt to pass that test; include any conceptual questions you may have. Upon receipt, a senior instructor will review your last attempt and send you an email with feedback and give you another opportunity to pass the test. You may reply to ask questions or clarify their response before taking the test a fourth time.*

*If you score less than 80% on your fourth attempt, you may not continue with the course; you may not attend the practical session; and you will not receive a refund.*

### Why Students Do Not Successfully Complete the Online Tests

Keep in mind that there are three primary reasons students do not successfully complete all the online tests or attend the practical session:

- They do not have the ability to fully grasp the material via self-study.
- *They give up.*
- *They procrastinate, do not begin studying early enough, and run out of time.*

*Don't let this be you: Start studying early! Remember that there is a four hour cooling off period before you can retake a final test. Plan accordingly and use the time for study.*

[Back to Contents](#)

---

## What about the Patient Assessment System?

It's important to keep in mind our Patient Assessment System (PAS) as you study and take the online tests. The triangles of PAS define the what you do and when you do it (refer to page 1 in your handbook as you read this). In real life, every time you enter a scene you:

1. Size-up the scene before you enter it. As you approach a patient try to identify the primary MOI (or MOIs), if a rescue is needed and if you are capable of carrying it out safely, and what your resources are. (Do you need to call for help now?)
2. Stabilize the patient: Address any Basic Life Support problems on arrival.
3. Gather and write down the patient's SAMPLE history, vital signs, and do a thorough physical exam.
4. If the MOI is major trauma and the patient is reliable, attempt to rule out a potential spine injury.
5. Evaluate the patient based on their clinical pattern.
6. Prioritize their injuries and your field treatment.
7. Treat and evacuate them as necessary.
8. Continue to monitor them as necessary.

It's easy to forget steps 2 and 3 when you are taking a test because the test questions provide you with all the information you need to move directly to assessment and treatment. Yet, remembering the entire process and mentally reviewing it step by step will help you visualize the scene and better prepare you for the practical session, real life, and, oddly enough, to correctly answer the test questions.

[Back to Contents](#)